| Total 2001 Population | |
|--|-------------------|
| Population per square mile 221 | |
| Age | on .1 4 |
| 0-14 | . 9 ¦ |
| 1 15-19 5.300 4.470 6.500 1 1.1710 161 34.105.107 1 5000011 51411 4 0 | .5 |
| 20-24 2,940 3,540 6,480 CIP2 113 \$1,652,268 | 4 |
| 25-29 | ta İ |
| 25-29 | 51 |
| 40-44 |)4 |
| 43-34 | · [|
| 55-64 | l ies I |
| 75-84 3,560 2,340 5,890 using COP funds. This amount is Bed & Breakfast 62 | ا 6 |
| 65-74 | .5 |
| Total 56,640 57,000 113,630 Hotels, Motels 1,531 Hotels, Motels 1,531 Tourist Rooming 59 | , 3 22 |
| | |
| 0-17 | 95 j 8 j |
| | |
| 45-64 | į |
| Total 56,640 57,000 113,630 | |
| Poverty Estimates for 2000 | Ì |
| Estimate (C.I.+/-) Num All ages 5,838 342 Note: Eligible and waiting clients Pregnant/Postpartum |)er |
| S.2% (6%) will be phased into the COP and MA Infants Solution Ages 0-17 2,044 186 Waivers as available. Children, age 1-4 1,000 | 353 |
| All ages 5,838 342 Note: Eligible and waiting clients Pregnant/Postpartum 5.2% (6%) will be phased into the COP and MA Infants Ages 0-17 2,044 186 Waivers as available. Children, age 1-4 1,7.1% (9%) Total 2,4 |)59 j |
| | 191 I |
| EMPLOYMENT | ·- İ |
| Average wage for jobs covered | , |
| Note: based on place of work Patients per 10,000 pop. 47 Primary Site Number Numb | |
| Annual I Proact | |
| Labor Force Estimates | 35 94 |
| Civilian Labor Force 63,298 Occupancy rate 80.2% Trachea, Bronchus, Lung | 74 j |
| Number employed 60,887 Residents on Dec.31 983 Prostate 1 Number unemployed 2,411 Residents age 65 or older Other sites 2 | L1 45 |
| | +5 71 |
| i ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' | j |

| | | | NATA | LITY | | | | |
|---|---|--|---|--------------------------------------|---|---|--|--|
| TOTAL LIVE BIRTHS | | 1,339 | Birth Order | | | Marital Status | | |
| | | _, | First | | | of Mother | Births | Percent |
| Crude Live Birth Rate | ے | 11 8 | First Second Third Fourth or higher Unknown | 547 421 | 31 | Married | 1,014 | |
| General Fertility Rat | | | Third | 216 | 16 | Not married | 325 | 24 |
| | | | Fourth or higher | 155 | 17 | Unknown | 929 | |
| live hirths with rend | artad | | Unknown | 100 | 12 | UIIKIIOWII | U | U |
| congonital anomalion | Ji Leu 1 | 17 1 20/ | UIKIIOWII | U | U | Education | | |
| Live births with report congenital anomalies | | 1.3% | First Prenatal | | | | Births | Percent |
| | | | | Dinthe | Dorcont | | | |
| Delivery Type | סוונווא | Percent | Visit | 1 120 | Percent | Elementary or le | 5 30 | 3 |
| Vaginal after | 4 7 | 4 | 1st trimester | 1,129 | 84 | Some nigh school | 154 | 12 |
| previous cesarean | 1/ | 1 | 2nd trimester | 185 | 14 | High School | 488 | 36 |
| Forceps | / | 1 | 3rd trimester | 20 | 1_ | Some college | 326 | 24 |
| Other vaginal | 1,0/1 | 80 | 2nd trimester 3rd trimester No visits Unknown | 5 | < . 5 | Some high school High school Some college College graduate Unknown | 332 | 25 |
| Primary cesarean | 153 | 11 | Unknown | 0 | 0 | Unknown | 3 | < . 5 |
| Repeat cesarean | 91 | 7 | | | | | | |
| Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown | Θ | 0 | Number of Prenatal | | | Smoking Status | | |
| | | | Care visits | Births | Percent | of Mother | Births | Percent |
| Birthweight | Births | Percent | No visits 1-4 5-9 | 5 | < . 5 | ZIIIOKET | /1/ | I h |
| <1,500 gm | 13 | 1.0 | 1-4 | 21 | 2 17 | Nonsmoker Unknown | 1,126 | 84 |
| 1,500-2,499 gm | 51 | 3.8 | 5-9 | 223 | 17 | Unknown | 1 | < . 5 |
| 2,500+ gm | 1,275 | 95.2 | 10-12 | 648 | 48 | | | |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | . 0 | Θ | 13+ | 440 | 33 | | | |
| | - | - | | | <.5 | | | |
| | | | UIIKIIOWII | | ` | | | |
| | | | | 2 | | | | |
| į | | | | | | er of Eirst Prenata | Vicit | |
| İ | | | | | | er of First Prenata | Visit | |
| | | | | | | er of First Prenata 2nd Trimester | Uisit Other | Unknown |
| | | | | | | er of First Prenata 2nd Trimester Births Percent | Visit Other/ Births | Unknown Percent |
| | | | | | | er of First Prenata 2nd Trimester Births Percent 134 11 | Visit Other/ Births | Unknown Percent |
| | | | | | | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 | Visit Other/ Births 14 | Unknown Percent 1 |
| Race of Mother White Black Other | Births F 1,207 9 123 | Percent 90 1 9 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | Visit Other/ Births 14 1 | 'Unknown Percent 1 11 8 |
| Race of Mother White Black Other | Births F 1,207 9 123 | Percent 90 1 9 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | • | • |
| Race of Mother White Black Other | Births F 1,207 9 123 | Percent 90 1 9 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | • | • |
| Race of Mother White Black Other | Births F 1,207 9 123 0 | Percent 90 1 9 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | • | • |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 | Percent 90 1 9 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | • | • |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 | Percent 90 1 9 0 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 | • | • |
| Race of Mother White Black Other Unknown Age of Mother <15 | Births F 1,207 9 123 0 Fe Births | Percent 90 1 9 0 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent | Visit Other/ Births | ' 'Unknown Percent |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 | Percent 90 1 9 0 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 | Visit Other/ Births . | 'Unknown Percent |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 | Births F 1,207 9 123 0 Fe Births 0 39 99 | Percent 90 1 9 0 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent . 3 7.7 6 6.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 | Visit Other Births 1 | 'Unknown Percent |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 99 353 | Percent 90 1 9 0 ertility Rate 15 70 120 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent . 3 7.7 6 6.1 19 5.4 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 80 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 | Visit Other Births 1 | 'Unknown Percent |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 99 353 366 | Percent 90 1 9 0 ertility Rate 15 70 120 114 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent 3 7.7 6 6.1 19 5.4 16 4.4 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 80 90 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 | Visit Other Births 1 | 'Unknown Percent |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 99 353 366 318 | Percent 90 1 9 0 ertility Rate 15 70 120 114 84 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent 3 7.7 6 6.1 19 5.4 16 4.4 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 80 90 92 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 21 7 | Visit Other/ Births 4 9 5 | 'Unknown Percent 3 4 3 1 |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 99 353 366 318 126 | Percent 90 1 9 0 ertility Rate 15 70 120 114 84 28 | Low Birthweight (under 2,500 gm) Births Percent 57 | 1st Tr Births 1,059 6 64 | Trimest mester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 21 7 14 11 | Visit Other/ Births 1 4 9 5 4 | 'Unknown Percent 3 4 3 1 1 |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Births 0 39 99 353 366 318 126 38 | Percent 90 1 9 0 ertility Rate 15 70 120 114 84 28 8 | Low Birthweight (under 2,500 gm) Births Percent 57 4.7 2 22.2 5 4.1 Low Birthweight (under 2,500 gm) Births Percent 3 7.7 6 6.1 19 5.4 16 4.4 13 4.1 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 80 90 92 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 21 7 | Visit Other/ Births 4 9 5 | 'Unknown Percent 3 4 3 1 |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Fe Births 0 39 99 353 366 318 126 | Percent 90 1 9 0 ertility Rate 15 70 120 114 84 28 | Low Birthweight (under 2,500 gm) Births Percent 57 | 1st Tr Births 1,059 6 64 | Trimest mester Percent 88 67 52 | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 21 7 14 11 | Visit Other/ Births 1 4 9 5 4 | 'Unknown Percent 3 4 3 1 1 |
| Race of Mother White Black Other Unknown | Births F 1,207 9 123 0 Births 0 39 99 353 366 318 126 38 | Percent 90 1 9 0 ertility Rate 15 70 120 114 84 28 8 | Low Birthweight (under 2,500 gm) Births Percent 57 | 1st Tr Births 1,059 6 64 | Trimest imester Percent 88 67 52 . Trimest imester Percent . 41 68 80 90 92 88 74 . | er of First Prenata 2nd Trimester Births Percent 134 11 2 22 49 40 er of First Prenata 2nd Trimester Births Percent 22 56 28 28 61 17 30 8 21 7 14 11 | Visit Other/ Births 1 4 9 5 4 1 1 | /Unknown Percent |

| MORBIDITY | | | MO F | RTALITY | | | |
|---|---|---|--------|---|-------------|-----------|--|
| | | | | | | | |
| | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. | | | | | | |
| REPORTED* CASES OF SELECTED DISEASES | Perinatal and | is nlus | i | | | | |
| I KEI OKIED CASES OF SELECTED DISEASES | fotal deaths | Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | |
| | Tetat deaths. Rates are not Catculated for Tewer than 20 deaths. | | | | | | |
| Disease | I TOTAL DEATHS | | 1 000 | L Colocted | | | |
| Disease Number | TOTAL DEATHS Crude Death Ra | | 1,008 | Selected | D | <u> </u> | |
| Campylobacter Enteritis 27 | į – Crude Death Ra | ate | 886 | Underlying Cause | veatns | Rate | |
| Giardiasis 10 | | | | Heart Disease (total) | | 269 | |
| Hepatitis Type A 0 | | | | Ischemic heart diseas | | 172 | |
| Hepatitis Type B** 7 | Age | Deaths | Rate | Cancer (total) | 223 | 196 j | |
| Hepatitis NANB/C 29 | 1-4 | 1 | • | Trachea/Bronchus/Lung | 50 | 44 İ | |
| Legionnaire's <5 | j 5-14 | 2 | | i Coloroctal | 20 | 34 İ | |
| Lyme <5 | i 15-19 | 6 | | Colorectal Female Breast | 12 | .* | |
| Measles 0 | 1 20-34 | 16 | • | Cerebrovascular Diseas | se 84 | 74 i | |
| Meningitis, Aseptic <5 | 35-54 | 16 71 | 205 | l Lower Resp. Disease | 47 | 41 | |
| Meningitis, Bacterial <5 | 55-64 | 62 | 639 | Lower Resp. Disease Pneumonia & Influenza | 25 | 22 | |
| Mumps 0 | 1 65-74 | 167 | 2,180 | Accidents | 37 | 33 | |
| Pertussis <5 | 75-84 | 324 | 5,499 | Motor vehicle | 10 | | |
| Salmonellosis 6 | 75-64 85+ | 350 | | | 24 | . 21 | |
| | 65+ | 350 | 15,097 | Diabetes | . 24 | : | |
| Shigellosis <5 | | | | Infectious & Parasition | 13 | . ! | |
| Tuberculosis <5 | ! | | | Suicide | 13 | . ! | |
| | Infant | | | | | | |
| * 2001 provisional data | Mortality | Deaths | Rate | * Rate for female brea | | based | |
| ** Includes all positive HBsAg | Total Infant | 9 | | j on female popula | ntion. | | |
| test results | Neonatal | 7 | • | | | | |
| | Postneonatal | 2 | | ALCOHOL AND DRUG ABUSE | | | |
| | Infant Mortality Total Infant Neonatal Postneonatal Unknown | • | • | OR CONTRIBUTING CAL | JSE OF DEAT | Ή | |
| Sexually Transmitted Disease | | | | | | j | |
| Chlamydia Trachomatis 157 | Race of Mother | | | Alcohol | 18 | . İ | |
| Genital Herpes 48 | i White | 6 | | Other Drugs | 12 | . i | |
| i Gonorrhea ' 18 | i Black | 1 | | Alcohol Other Drugs Both Mentioned | 3 | . i | |
| Syphilis 0 | l Other | 2 | | | | i | |
| Ι 3, μ | l Unknown | - | • | MOTOR VEHICL | F CRASHES | | |
| | I STIKITOMIT | • | • | 110101 1211202 | L CIVISILES | i i | |
| | Birthweight | | | Note: These data are | hasad on 1 | ocation I | |
| IMMUNIZATIONS | <1,500 gm | 4 | | of crash, not o | | | |
| IIIIONIZATIONS | 1,500-2,499 gm | | • | | ni restuenc | | |
| Children in Crades 1/ 12 hv | 1,500-2,455 giii | ÷ | • | Type of Motor | Dorcone D | orcone | |
| Children in Grades K-12 by | 2,500+ gm | 5 | • | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | rersons P | 61 20112 | |
| Compliance Level | Unknown | | • | venicie Crash | injured | Killed I | |
| Compliant 21,449 Non-compliant 157 Percent Compliant 99.3 | ! | | | l lotal crashes | 1,046 | 12 | |
| Non-compliant 157 | <u> </u> | | | Alcohol-Related | 125 | 6 | |
| Percent Compliant 99.3 | Perinatal | | _ | With Citation: | | | |
| | Mortality | Deaths | | For OWI | 15 | 0 | |
| | Total Perinatal | 19 | | For Speeding | 17 | | |
| | Total Perinatal Neonatal Fetal | 7 | | For Speeding Motorcyclist Bicyclist | 41 | 1 j | |
| | j Fetal | 12 | | Bicyclist | 35 | 0 j | |
| | İ | | | Pedestrian | 24 | ō i | |
| | , | | | | | - 1 | |

Per Average Charge | Per Average Charge | DISEASE / 1,000 Stay Average Per | DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita | AGE GROUP Number Pop (Days) Charge Capita Charge Alcohol-Related Injury-Related: All Total 977 8.6 4.3 \$14,210 <18 92 3.2 3.3 \$12,567 18-44 221 5.1 3.7 \$14,004 45-64 198 7.8 4.5 \$15,377 65+ 466 29.4 4.8 \$14,136 Total 394 3.5 4.1 \$5,320 18-44 222 5.1 3.4 \$4,180 45-64 138 5.5 4.6 \$6,596 \$122 \$18 \$40 \$21 \$71 \$36 Pneumonia and Influenza
Total 341 3.0 4.7 \$8,934
<18 58 2.0 2.6 \$3,825
45-64 50 2.0 4.5 \$9,923
65+ 211 13.3 5.3 \$10,224 \$120 \$27 \$415 Injury: Hip Fracture \$8 Total 132 1.2 5.4 \$14,867 65+ 119 7.5 5.4 \$14,738 \$17 \$20 \$111 \$136 Injury: Poisonings Total 47 0.4 2.6 \$5,545 \$2 18-44 24 0.6 2.9 \$5,902 \$3 Total 317 2.8 3.6 \$10,852 45-64 57 2.3 2.7 \$11,118 65+ 253 15.9 3.8 \$10,850 \$30 \$25 \$173 Chronic Obstructive Pulmonary Disease Psychiatric

 sychiatric

 Total
 913
 8.0
 8.7
 \$8,109

 <18</td>
 184
 6.3
 12.3
 \$9,393

 18-44
 459
 10.6
 7.5
 \$7,179

 45-64
 137
 5.4
 7.4
 \$7,356

 65+
 133
 8.4
 9.4
 \$10,316

 Total 260 2.3 3.6 \$6,249
<18 61 2.1 2.0 \$3,288
18-44 18 . . .
45-64 52 2.1 4.1 \$7,641
65+ 129 8.1 4.4 \$7,270

Drug-Related \$65 \$14 \$60 \$7 \$76 \$16 \$40 \$86 \$59 Drug-Related Total 69 0.6 5.0 \$5,465 \$3 18-44 41 0.9 4.4 \$4,986 \$5 Coronary Heart Disease Total 817 7.2 3.7 \$24,664 45-64 281 11.1 3.1 \$24,595 65+ 498 31.4 4.1 \$24,857 \$177 i \$273 Total Hospitalizations Malignant Neoplasms (Cancers): All ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) Total 1,475 13.0 3.7 \$7,278 \$94
<18 283 9.7 2.3 \$3,703 \$36
18-44 168 3.9 2.9 \$6,270 \$24
45-64 252 10.0 3.8 \$8,992 \$90
65+ 772 48.6 4.4 \$8,249 \$401 Total 38 0.7 1.8 \$7,391 \$5 Neoplasms: Colo-rectal Total 76 0.7 8.3 \$19,069 \$13 65+ 56 3.5 9.1 \$20,210 \$71 Neoplasms: Lung Total 30 0.3 6.6 \$19,823 \$5 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 Diabetes Total 112 1.0 5.0 \$13,434 \$13 65+ 41 2.6 5.3 \$12,809 \$33 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.